

**DECLARATION OF PERFORMANCE**

Place and Date of Issue: United Kingdom, August 2019  
According to EU 305/2011  
DoP No.: MGPB03



1. **Unique identification code of the product type:**  
Make Good Fire-Resistant Plasterboard 2.4M x 1.2M
2. **Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4):**  
12.5mm
3. **Intended use or uses of the construction product, in accordance with the applicable harmonized technical specification, as foreseen by the manufacturer:**  
Plasterboard used for suspended ceiling, partition walls and linings where fire resistance is required
4. **Name and address of the manufacturer:**  
BIRMINGHAM INNOVATIONS LTD  
International House, Garretts Green Lane, Garretts Green, Birmingham B33 0UE  
Tel: +44 0121 369 0570
5. **Where applicable, name and contact address of the authorized representative whose mandate covers the tasks specified in Article 12 (2):**  
Not applicable
6. **System or systems of assessment and verification of constancy of performance of the construction product as set out in CPR, Annex V:**  
System 4

7. **Declared Performance/s:**

Essential characteristics	Performance	Harmonized technical specification
Reaction to fire	A2-s1, d0	EN 520+A1-2010 Gypsum Plasterboards Definitions, Requirements and Test Methods
Width tolerance (mm)	0 – (-4)	
Length tolerance (mm)	0 – (-5)	
Tapered depth (mm)	0.6 – 2.16	
Tapered width (mm)	4 – 8	
Thickness tolerance (mm)	+/- 0.5	
Vertical deflection (mm)	Max. 2.5mm	
Strength perpendicular (N)	≥ 550	
Strength parallel (N)	≥ 210	

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with The Construction Products Regulation (305/2011/EU), under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Jon Proud, Commercial Manager  
1/08/2019